2026

PRODUCT CATALOGUE

Reusable Plastic Logistics Containers · Crates · Pallets · Dollies

FOSHAN KEYUN IMPORT & EXPORT CO., LTD.

Email andy-liao@keyunltd.com

WhatsApp +86 180 3871 4440

Web keyunltd.com

PRODUCT SERIES

KN · TY · XS · KS · CX · CK · KK · KB · LK · QN · EU · XK · GW

PLASTIC PALLETS · PICKING BINS · PLATFORM DOLLIES

01 About KEYUN

Reusable plastic logistics containers

Foshan KEYUN Import & Export Co., Ltd. specialises in the overseas sales and support of reusable plastic logistics containers, covering crates, containers, pallets, picking bins and platform dollies, with colour, logo and size customisation.

The factory covers 8,000 m² with more than 17 automated injection moulding machines under standardised 5S management, holding ISO 9001, CE and EU authorised representative certification, and can provide EU food-contact safety test reports for our containers.

8,000 m²	17+	235+	15+	150/200
Manufacturing base	Moulding machines	Standard models	R&D patents	MOQ (pcs)

Certifications



质量管理体系认证证书

证书编号：19726Q01763R001

兹 证 明

河北全运智能科技有限公司

统一社会信用代码：91130531MA0EGDH00Y

注册地址：河北省邢台市广宗县经济开发区茂盛路南段西侧 邮编：054600

经营地址：河北省邢台市广宗县经济开发区茂盛路南段西侧 邮编：054600

管理体系符合

GB/T 19001-2016/ISO 9001:2015《质量管理体系 要求》标准要求

认证范围：

物流周转箱、果蔬折叠周转筐、乌龟车的加工生产

发证日期：2026 年 10 月 27 日

有效期至：2029 年 10 月 26 日

签发人

IAF CNAS MANAGEMENT SYSTEM CNAS C273-M

认证机构：北京国标联合认证有限公司



HTT TECHNOLOGY

Certificate of Conformity

Certificate No.	:	HTT202403273R
Applicant	:	Hebei Quanyun Intelligent Technology Co.,Ltd.
Applicant Address	:	Apartment 1619,No.5,ZoneA,HengdaCity,Xiangdu District, Xingtai City,Hebei Province
Manufacturer	:	Hebei Quanyun Intelligent Technology Co.,Ltd.
Manufacturer Address	:	Development Zone of Guangzong County,Xingtai City,Hebei Province
Product	:	plastic crates
Model No.	:	ZJXS604036C, ZJXS4030255C, ZJXS765852C, ZJQN4030148W, ZJEU604022W, ZJKK6040295C-1, ZJLK604030W, ZJCX6040225C
Trademark	:	N/A

This is to certify that, on the basis of the tests undertaken as per Report No.: HTT202403273CH, the submitted sample of the above item complies with:

IEC 62321-4:2013+A1:2017
IEC 62321-5:2013
IEC 62321-6:2015
IEC 62321-7-1:2015
IEC 62321-7-2:2017
IEC 62321-8:2017

And fulfills testing requirement of the RoHS directive 2011/65/EU Annex II amending Annex (EU)2015/863 and amending Annex (EU)2017/2102.

CE

Kevin Yang HTT TECHNOLOGY

KevinYang/Senior Manager

Date of Issue:Mar. 15, 2024

Shenzhen HTT Technology Co.,Ltd. Web: www.httprc.com

TEL: 0755-23595200 FAX: 0755-23595201 Hotline: 400-6655-351 Mail: info@httprc.com

1F, B Building, Huafeng International Robotics Industrial Park, Gushu, Xixiang Street, Bao'an District, Shenzhen, China



CERTIFICATE

of EC REP

Hebei Quanyun Intelligent Technology Co., Ltd. hereby appoints EUREPSTAR GmbH as the Authorized European Representative, and EUREPSTAR GmbH accepts the appointment in the condition that Hebei Quanyun Intelligent Technology Co., Ltd. have the correspond CE certificates, updated technical files and Declaration of Confirming to all products in the market of European Union.

Hebei Quanyun Intelligent Technology Co., Ltd. shall be responsible for any business dispute related to products in EU market.

The EU Representative Agreement is valid from 11/12/2025 to 10/12/2026. This document is subject to the EU Representative Agreement number EUREP-20251203112009635 60. If there is any inconsistency with the EU Representative Agreement number EUREP-20251203112009635 60, the EU Representative Agreement number EUREP-20251203112009635 60 shall prevail.

Certificate holder:

Name	Hebei Quanyun Intelligent Technology Co., Ltd.
Address	Guangzong County development Zone, Xingtai City, Hebei province
Contact	Wendy
Email	9133227791@qq.com

The Authorized European Representative:

Name	EUREPSTAR GmbH
Address	Schlüterstr. 3, 85057 Ingolstadt, Germany
Email	eurep@eurep-gmbh.de

EC REP

EUREPSTAR GmbH
Schlüterstr. 3
85057 Ingolstadt, Germany
www.eurepstar.com

EUREPSTAR GmbH
Schlüterstr. 3, 85057 Ingolstadt, Germany
Tel: +49 841 8869 7744 | Email: eurep@eurep-gmbh.de | Website: https://eurepstar.com/



XNO

Test Report

Report No.:XNO260421501FX2-1 Date:21-Apr-2026 Page 1 of 13

Applicant: Hebei Quanyun Intelligent Technology Co., Ltd.

Address: West side of the south section of Maosheng Road, Economic Development Zone, Guangzong County, Xingtai City, Hebei Province

The following sample(s) and information were submitted and identified by the applicant

Sample Name:	angled insertion box
Model No.:	/
Manufacturer:	Hebei Quanyun Intelligent Technology Co., Ltd.
Manufacturer Address:	West side of the south section of Maosheng Road, Economic Development Zone, Guangzong County, Xingtai City, Hebei Province
Origin of the Product(s):	China
Main Substance:	PP
Sample Received Date:	08-Apr-2026
Testing Period:	08-Apr-2026 to 13-Apr-2026
Testing Requirements:	Selected test(s) as requested by client
Test Method:	Please refer to next page(s)
Test Results:	Please refer to next page(s)

Authorized signature

Fox Rong
Technical supervisor
Approved Signatory
Guangzhou Supreme Technology & Testing Service Co., Ltd.

Note: This document cannot be reproduced except in full, without prior written approval of the Company.Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.Any dam aged by the content of test report, please inquire in 15 days after the report's sending out, it will not be accepted after this date.

Guangzhou Supreme Technology & Testing Service Co., Ltd.
103, NanShia IT Park, South Tower, No.2 Huanshi Dadao Nan, Nansha District, GuangZhou City, GuangDong Province,China
Tel: 020-39004163 Fax: 020-39398917 Email: service@xnotesting.com Website: http://www.xnotesting.com

02 KYKN Series

33 models · MOQ 200 pcs

No.	Model	Image	External mm	Folded	Internal mm	Weight	Material
1	KYKN604014W-HS		600×400×140	48	560×360×120	1.63 kg	PP
2	KYKN604018W-HS		600×400×180	48	560×360×160	1.8 kg	PP
3	KYKN604022W-H		600×400×220	48	560×360×200	2.04 kg	PP
4	KYKN604022W-HS		600×400×220	48	560×360×200	2.08 kg	PP
5	KYKN6040225W		600×400×225	38	575×376×210	1.66 kg	PP
6	KYKN6040225C		600×400×225	38	575×376×210	1.76 kg	PP
7	KYKN604028W-HS		600×400×280	70	566×366×258	2.41 kg	PP
8	KYKN402222W		400×220×228	80	375×204×213	0.9 kg	PP
9	KYKN592523W		590×250×240	80	558×232×212	1.35 kg	PP
10	KYKN302012W		300×200×120	40	280×180×102	0.35 kg	PP
11	KYKN302012W		300×200×120	40	280×180×116	0.35 kg	PP
12	KYKN302012C		300×200×122	45	280×180×102	0.4 kg	PP
13	KYKN403014W		400×300×140	48	366×266×128	0.83 kg	PP
14	KYKN403012W		400×300×130	45	365×265×120	0.56 kg	PP
15	KYKN403012C		400×300×130	45	365×265×120	0.61 kg	PP
16	KYKN403018W		400×300×175	45	365×265×164	0.67 kg	PP

No.	Model	Image	External mm	Folded	Internal mm	Weight	Material
17	KYKN403018C		400×300×175	45	365×265×164	0.73 kg	PP
18	KYKN604014W-1		600×400×140	48	560×360×120	1.63 kg	PP
19	KYKN604014W-2		600×400×140	48	560×360×120	1.42 kg	PP
20	KYKN604014W-3		600×400×140	48	560×360×120	1.6 kg	PP
21	KYKN604018W-1		600×400×180	48	560×360×160	1.85 kg	PP
22	KYKN604018W-2		600×400×180	48	560×360×160	1.53 kg	PP
23	KYKN604018W-3		600×400×180	48	560×360×160	1.79 kg	PP
24	KYKN604022W-1		600×400×220	48	560×360×200	2.33 kg	PP
25	KYKN604022W-3		600×400×220	48	560×360×200	2.3 kg	PP
26	KYKN604026W-1S		600×400×260	48	560×360×240	2.41 kg	PP
27	KYKN604026W-3S		600×400×260	48	560×360×240	2.38 kg	PP
28	KYKN604022W-Q		600×400×220	48	560×360×200	1.64 kg	PP
29	KYKN604022W-Q3		600×400×220	48	560×360×200	1.83 kg	PP
30	KYKN604020W-P		600×400×200	65	560×360×165	1.94 kg	PP
31	KYKN604020W-P3		600×400×180	48	560×360×155	1.72 kg	PP
32	KYKN604040W-S		600×400×405	86	560×360×389	3.17 kg	PP
40	KYKN6040220W-HS		600×400×220	55	560×360×200	2.02 kg	PP

03 KYTY Series

15 models · MOQ 200 pcs

No.	Model	Image	External mm	Folded	Internal mm	Weight	Material
33	KYTY403012W-S		400×300×120	38	365×265×105	0.8 kg	PP
34	KYTY403015W-S		400×300×170	38	365×265×155	1.03 kg	PP
35	KYTY604011W-S		600×400×120	38	560×360×105	1.41 kg	PP
36	KYTY604015W-S		600×400×170	38	560×360×155	1.65 kg	PP
37	KYTY6040195W-S		600×400×195	38	565×365×185	1.82 kg	PP
38	KYTY6040195W-S		600×400×195	48	565×365×180	1.75 kg	PP
39	KYTY6040235W-S		600×400×235	48	565×365×217	1.95 kg	PP
41	KYTY8040235W-S		800×400×235	47	757×371×220	2.41 kg	PP
42	KYTY604021W-S		600×400×230	38	560×360×215	1.97 kg	PP
43	KYTY604021W-BS		600×400×230	38	560×360×215	1.9 kg	PP
44	KYTY604021X		600×400×230	38	560×360×215	2.04 kg	PP
45	KYTY604025W-S		600×400×260	38	560×360×245	2.16 kg	PP
46	KYTY604030W		600×400×300	60	560×360×275	2.63 kg	PP
47	KYTY604030W-S		600×400×300	61	560×360×290	2.81 kg	PP
48	KYTY604030W-BS		600×400×300	55	560×365×280	2.7 kg	PP

04 KYXS Series

90 models · MOQ 200 pcs

No.	Model	Image	External mm	Folded	Internal mm	Weight	Material
63	KYXS362627W		360×260×270	78	330×230×260	1.16 kg	PP
64	KYXS3626285C		360×260×285	90	330×230×260	1.37 kg	PP
65	KYXS3626285CBK		360×260×285	90	330×230×260	1.43 kg	PP
66	KYXS3626285CBDK		360×260×285	90	330×230×260	1.48 kg	PP
67	KYXS3626269W		360×260×269	76	330×230×260	1.19 kg	PP
68	KYXS362628C		360×260×280	90	330×230×260	1.45 kg	PP
69	KYXS362628CBK		360×260×280	90	330×230×260	1.5 kg	PP
70	KYXS362628CDK		360×260×280	90	330×230×260	1.5 kg	PP
71	KYXS362628CBDK		360×260×280	90	330×230×260	1.55 kg	PP
76	KYXS422823W		418×285×234	55	385×258×215	0.85 kg	PP
77	KYXS5336295W-2		530×360×295	65	490×325×285	1.54 kg	PP
78	KYXS533630C-2		530×360×300	68	490×325×285	1.88 kg	PP
84	KYXS533624W		530×365×240	85	490×337×220	2.09 kg	PP
85	KYXS533624W		530×365×240	85	490×337×220	2.09 kg	PP
86	KYXS533625C		530×365×250	100	490×337×220	2.64 kg	PP

No.	Model	Image	External mm	Folded	Internal mm	Weight	Material
87	KYXS533625C		530×365×250	100	490×337×220	2.64 kg	PP
88	KYXS533634C		530×365×340	100	490×337×300	2.76 kg	PP
89	KYXS533634CBK		530×365×340	100	490×337×300	2.82 kg	PP
90	KYXS533634CDK		530×365×340	100	490×337×300	2.82 kg	PP
91	KYXS533634CBDK		530×365×340	100	490×337×300	2.88 kg	PP
92	KYXS5336326W		530×365×326	85	490×337×300	2.41 kg	PP
93	KYXS5336326W		530×365×326	85	490×337×300	2.41 kg	PP
94	KYXS5336326WBK		530×365×326	85	490×337×300	2.46 kg	PP
95	KYXS5336326WDK		530×365×326	85	490×337×300	2.48 kg	PP
96	KYXS5336326WBDK		530×365×326	85	490×337×300	2.56 kg	PP
97	KYXS5336335C		530×365×335	100	490×337×300	2.96 kg	PP
98	KYXS5336335C		530×365×335	100	490×337×300	2.96 kg	PP
99	KYXS5336335CBK		530×365×335	100	490×337×300	3.03 kg	PP
100	KYXS5336335CDK		530×365×335	100	490×337×300	3.03 kg	PP
101	KYXS5336335CBDK		530×365×335	100	490×337×300	3.1 kg	PP
102	KYXS5336365W		530×365×365	83	490×333×360	1.99 kg	PP
103	KYXS5336385C		530×365×385	100	490×333×360	2.49 kg	PP

No.	Model	Image	External mm	Folded	Internal mm	Weight	Material
104	KYXS6544345W		650×440×345	75	610×400×330	3.26 kg	PP
105	KYXS6544345W		650×440×345	75	610×400×330	3.26 kg	PP
106	KYXS6544345WBK		650×440×345	75	610×400×330	3.33 kg	PP
107	KYXS6544345WDK		650×440×345	75	610×400×330	3.33 kg	PP
108	KYXS6544345WBDK		650×440×345	75	610×400×330	3.4 kg	PP
109	KYXS654436C		650×440×360	88	610×400×330	4.06 kg	PP
110	KYXS654436C		650×440×360	88	610×400×330	4.06 kg	PP
111	KYXS654436CBK		650×440×360	88	610×400×330	4.13 kg	PP
112	KYXS654436CDK		650×440×360	88	610×400×330	4.13 kg	PP
113	KYXS654436CBDK		650×440×360	88	610×400×330	4.2 kg	PP
114	KYXS604035WBK		600×400×345	85	560×360×330	2.84 kg	PP
115	KYXS604035WDK		600×400×345	85	560×360×330	2.81 kg	PP
116	KYXS604035WBDK		600×400×345	85	560×360×330	2.92 kg	PP
117	KYXS604036C		600×400×355	95	560×360×330	3.39 kg	PP
118	KYXS604036CBK		600×400×355	95	560×360×330	3.48 kg	PP
119	KYXS604036CDK		600×400×355	95	560×360×330	3.46 kg	PP
120	KYXS604036CBDK		600×400×355	95	560×360×330	3.56 kg	PP

No.	Model	Image	External mm	Folded	Internal mm	Weight	Material
121	KYXS403024W		400×300×240	70	370×270×215	1.15 kg	PP
122	KYXS4030255C		400×300×255	85	370×270×230	1.42 kg	PP
123	KYXS403027C		400×300×270	90	365×270×255	1.4 kg	PP
124	KYXS403031W		400×300×310	70	370×270×285	1.28 kg	PP
125	KYXS403032C		400×300×320	85	370×270×300	1.55 kg	PP
126	KYXS4030325C		400×300×325	90	365×265×315	1.54 kg	PP
146	KYXS6040175W-3		600×400×175	70	560×360×160	2.18 kg	PP
147	KYXS6040175W-7		600×400×175	70	560×360×160	2.07 kg	PP
148	KYXS6040185W-1		600×400×185	83	560×360×170	2.09 kg	PP
149	KYXS6040195C-1		600×400×195	95	560×360×170	2.74 kg	PP
150	KYXS604024W-4		600×400×240	70	560×360×230	2.52 kg	PP
151	KYXS6040255W-8		600×400×255	83	560×360×240	2.43 kg	PP
152	KYXS6040265C-8		600×400×265	95	560×360×240	3.07 kg	PP
153	KYXS604030W		600×400×295	70	560×360×280	2.9 kg	PP
154	KYXS604030W		600×400×295	70	560×360×280	2.9 kg	PP
155	KYXS604031W		600×400×308	83	560×360×290	2.81 kg	PP
156	KYXS604032C		600×400×318	95	560×360×290	3.46 kg	PP

No.	Model	Image	External mm	Folded	Internal mm	Weight	Material
157	KYXS6040295W-4		600×400×295	70	560×360×280	2.92 kg	PP
158	KYS6040308W-8		600×400×308	83	560×360×290	2.83 kg	PP
159	KYXS6040318C-8		600×400×318	95	560×360×290	3.47 kg	PP
160	KYXS604021C		600×400×210	105	560×360×185	2.66 kg	PP
161	KYXS604027C-5		600×400×270	105	560×360×250	2.99 kg	PP
162	KYXS604033C-5		600×400×330	105	560×360×305	3.4 kg	PP
163	KYXS604033C-9		600×400×330	105	560×360×305	3.38 kg	PP
164	KYXS6040368C-5		600×400×368	105	560×360×345	3.38 kg	PP
165	KYXS6040355C-8		600×400×355	95	560×360×330	3.46 kg	PP
166	KYXS6040345W-8		600×400×345	85	560×360×330	2.81 kg	PP
167	KYXS604041C		600×400×410	95	558×362×385	3.81 kg	PP
193	KYXS765850W		760×580×500	114	720×525×475	6.6 kg	PP
194	KYXS765852C		760×580×520	130	720×525×475	7.94 kg	PP
211	KYXS483525W		480×350×255	60	445×320×240	1.64 kg	PP
212	KYXS483525W-1		480×350×253	57	445×320×250	1.5 kg	PP
213	KYXS4838265C-1		480×350×265	67	445×320×250	1.9 kg	PP
214	KYXS604022W-PK		600×400×220	70	560×360×210	2.36 kg	PP

No.	Model	Image	External mm	Folded	Internal mm	Weight	Material
215	**KYXS654440W**		650×440×400	—	608×400×387	3.58 kg	PP
216	**KYXS6544405C**		650×440×400	90	608×400×387	4.27 kg	PP
217	**KYXS6040295W-**		600×400×295	74	560×360×280	—	PP
218	**KYXS6040295W-**		600×400×295	74	560×360×280	—	PP
219	**KYXS604040W-P**		600×400×400	80	558×362×390	3.08 kg	PP
220	**KYXS604540W**		600×450×400	82	560×417×395	3.46 kg	PP
221	**KYXS6544325W**		650×440×325	82	600×400×310	3.23 kg	PP

05 KYKS Series

26 models · MOQ 200 pcs

No.	Model	Image	External mm	Folded	Internal mm	Weight	Material
72	KYKS343428W		345×345×280	78	312×310×270	1.0 kg	PP
73	KYKS493524W		487×355×238	68	450×323×227	1.14 kg	PP
74	KYKS5336295W-2		530×360×295	65	490×325×285	1.33 kg	PP
75	KYKS533630C-2		530×360×300	68	490×325×285	1.67 kg	PP
79	KYKS483525WB		478×348×253	55	450×318×234	1.23 kg	PP
80	KYKS483526P		480×280×310	68	450×255×270	1.58 kg	PP
81	KYKS482830W		480×280×310	95	450×255×270	1.38 kg	PP
129	KYKS403024W		400×300×245	70	365×265×230	1.06 kg	PP
130	KYKS4030255C		400×300×255	85	365×265×230	1.34 kg	PP
131	KYKS403027C		400×300×270	90	365×270×255	1.32 kg	PP
169	KYKS604024W-4		600×400×240	70	560×360×225	2.53 kg	PP
171	KYKS6040255W-8		600×400×255	70	560×360×240	2.44 kg	PP
173	KYKS6040265C-8		600×400×265	95	560×360×240	3.08 kg	PP
176	KYKS604028W-1		600×400×280	72	555×360×260	2.27 kg	PP
177	KYKS604028W-3		600×400×280	78	555×360×262	2.5 kg	PP
179	KYKS6040285W-1		600×400×285	85	555×360×269	2.41 kg	PP

No.	Model	Image	External mm	Folded	Internal mm	Weight	Material
181	**KYKS6040295C-1**		600×400×295	—	560×360×280	3.05 kg	PP
184	**KYKS604032W-1**		600×400×320	70	560×360×305	2.45 kg	PP
185	**KYKS604032W-3**		600×400×320	70	560×360×305	2.68 kg	PP
187	**KYKS604033W-1**		600×400×330	83	560×360×315	2.59 kg	PP
189	**KYKS604034C-1**		600×400×340	95	560×360×315	3.23 kg	PP
190	**KYKS6040278C-5**		600×400×278	105	560×360×255	3.0 kg	PP
191	**KYKS6040308C**		600×400×308	105	560×360×283	2.97 kg	PP
192	**KYKS6040355C**		600×400×350	105	560×360×330	3.15 kg	PP
197	**KYKS6333257W**		630×330×257	58	605×305×237	1.8 kg	PP
198	**KYKS633337W**		630×330×370	100	600×300×359	2.75 kg	PP

08 KYKK Series

16 models · MOQ 200 pcs

No.	Model	Image	External mm	Folded	Internal mm	Weight	Material
127	KYKK403024W		400×300×245	70	365×265×230	1.04 kg	PP
128	KYKK4030255C		400×300×255	85	365×265×230	1.28 kg	PP
168	KYKK604024W-4		600×400×240	70	560×360×225	2.3 kg	PP
170	KYKK6040255W-8		600×400×255	75	560×360×240	2.21 kg	PP
172	KYKK6040265C-8		600×400×265	95	560×360×240	2.85 kg	PP
174	KYKK604028W-1		600×400×280	72	555×360×260	2.05 kg	PP
175	KYKK604028W-3		600×400×280	78	555×360×262	2.27 kg	PP
178	KYKK6040285W-1		600×400×285	85	555×360×269	2.18 kg	PP
180	KYKK6040295C-1		600×400×295	95	560×360×280	2.83 kg	PP
182	KYKK604032W-1		600×400×320	70	560×360×305	2.23 kg	PP
183	KYKK604032W-3		600×400×320	70	560×360×305	2.45 kg	PP
186	KYKK604033W-1		600×400×330	83	560×360×315	2.36 kg	PP
188	KYKK604034C-1		600×400×340	95	560×360×315	3.0 kg	PP
195	KYKK755527C		750×550×270	—	700×510×230	5.33 kg	PP
196	KYKK805850W		800×580×500	114	750×525×485	6.19 kg	PP
200	KYK604028W		600×400×280	—	565×365×270	2.42 kg	PP

09 KYKB Series

15 models · MOQ 200 pcs

No.	Model	Image	External mm	Folded	Internal mm	Weight	Material
49	KYKB403022W		400×300×220	67	360×260×197	1.3 kg	PP
50	KYKB533631W		530×360×315	65	503×323×285	2.25 kg	PP
51	KYKB533631C		530×360×315	70	503×323×285	2.58 kg	PP
52	KYKB5134285C		510×340×285	75	475×305×259	2.3 kg	PP
53	KYKB5636324W		560×360×324	70	525×325×300	2.5 kg	PP
54	KYKB604030W		600×400×300	60	560×360×275	2.51 kg	PP
55	KYKB604030C		600×400×300	60	560×360×275	2.93 kg	PP
56	KYKB604031W		600×400×307	65	560×360×297	2.63 kg	PP
57	KYKB604034W		600×400×340	65	560×360×320	3.01 kg	PP
58	KYKB604034C		600×400×340	65	560×360×320	3.46 kg	PP
59	KYKB605017W		600×500×170	63	560×460×150	1.87 kg	PP
60	KYKB605034W		600×500×340	65	560×460×320	3.11 kg	PP
61	KYKB605034C		600×500×340	70	560×460×320	3.54 kg	PP
62	KYKB1004034C		1000×400×340	75	960×360×320	5.12 kg	PP
83	KYKB533631WBK		535×360×312	65	503×323×285	2.57 kg	PP

10 KYLK Series

10 models · MOQ 200 pcs

No.	Model	Image	External mm	Folded	Internal mm	Weight	Material
199	**KYLK6040148W**		600×400×148	—	568×368×131	1.92 kg	PP
201	**KYLK604030W**		600×400×300	—	565×365×290	2.68 kg	PP
202	**KYLK604030W**		600×400×300	—	565×365×290	2.3 kg	PP
203	**KYLK604030W-K**		600×400×300	—	565×365×290	2.3 kg	PP
204	**KYLK604040W**		600×400×400	—	567×367×390	3.4 kg	PP
205	**KYLK605040W**		600×500×400	—	—	4.0 kg	PP
206	**KYLK644741W**		640×470×410	—	—	3.94 kg	PP
207	**KYLK654437W**		650×449×370	—	622×420×355	3.63 kg	PP
208	**KYLK654433W**		650×440×330	—	618×408×320	3.32 kg	PP
210	**KYLK1006020W**		1000×600×200	—	966×565×190	4.8 kg	PP

15 Other Series

KYCX · KYCK · KYQN · KYEU · KYXK · KYGW · MOQ 200 pcs

KYCX 6 models

No.	Model	Image	External mm	Folded	Internal mm	Weight	Material
209	KYCX654431W		650×440×310	—	574×364	2.8 kg	PP
224	KYCX583824W		580×375×240	—	520×310	2.1 kg	PP
232	KYCX604020W		600×400×200	—	530×325	1.68 kg	PP
233	KYCX6040225C		605×405×225	—	511×324	2.47 kg	PP
234	KYCX6040315C		600×400×315	—	520×340	2.91 kg	PP
235	KYCX604033C		605×405×340	—	515×325	3.02 kg	PP

KYCK 8 models

No.	Model	Image	External mm	Folded	Internal mm	Weight	Material
223	KYCK583824W		580×375×240	—	520×310	2.06 kg	PP
225	KYCK583833W		580×375×330	—	520×310	2.39 kg	PP
226	KYCK604018W		600×400×180	—	507×350	1.34 kg	PP
227	KYCK604020W		600×400×200	—	506×350	1.41 kg	PP
228	KYCK604022W		600×400×220	—	506×350	1.47 kg	PP
229	KYCK604025W		600×400×250	—	506×350	1.64 kg	PP
230	KYCK604028W		600×400×280	—	506×350	1.71 kg	PP
231	KYCK604031W		600×400×315	—	530×350	1.94 kg	PP

KYQN 5 models

No.	Model	Image	External mm	Folded	Internal mm	Weight	Material
132	KYQN3020148W		300×200×148	58	—	0.73 kg	PP
133	KYQN4030148W		400×300×148	55	370×270×137	1.2 kg	PP
134	KYQN403028W		400×300×280	106	368×269×267	1.88 kg	PP
135	KYQN6040148W		600×400×148	55	570×370×137	1.9 kg	PP
136	KYQN604028W		600×400×280	77	567×368×268	2.74 kg	PP

KYEU 9 models

No.	Model	Image	External mm	Folded	Internal mm	Weight	Material
137	KYEU604022W-2		600×400×220	85	560×360×210	2.52 kg	PP
138	KYEU604028W-2		600×400×280	85	560×360×265	2.75 kg	PP
139	KYEU604032W-2		600×400×320	85	560×360×305	2.91 kg	PP
140	KYEU604022W		600×400×220	85	560×360×210	2.27 kg	PP
141	KYEU604028W		600×400×280	85	560×360×265	2.5 kg	PP
142	KYEU604032W		600×400×320	85	560×360×305	2.66 kg	PP
143	KYEU604022C		600×400×235	100	560×360×205	2.85 kg	PP
144	KYEU604028C		600×400×295	100	560×360×265	3.07 kg	PP
145	KYEU604032C		600×400×337	100	560×360×322	3.23 kg	PP

KYXK 1 models

No.	Model	Image	External mm	Folded	Internal mm	Weight	Material
222	KYXK856535W		850×650×350	92	795×600×330	5.91 kg	PP

KYGW 1 models

No.	Model	Image	External mm	Folded	Internal mm	Weight	Material
82	KYGWL482831W		480×280×310	95	450×255×270	1.49 kg	PP

16 Plastic Pallets

MOQ 150 pcs

KYWS-1210B Reversible Plastic Pallet



Size mm	1200 × 1000 × 150
Material	PP
Weight	29 kg ± 3%
Static	5 T
Dynamic	2 T
Racking	—
Entry	4-way entry
Loading	20FT 150 pcs / 40HC 367 pcs
Temp.	-10 ~ 40 □

KYWC-1210A 3-Runner Plastic Pallet



Size mm	1200 × 1000 × 150
Material	PP
Weight	14.5 kg ± 3%
Static	4 T / 6 T
Dynamic	1 T / 1.5 T
Racking	— / 1.5 T
Entry	4-way / 2-way entry
Loading	20FT 234 pcs / 40HQ 520 pcs
Temp.	-10 ~ 40 □

KYWT-1212 Block Plastic Pallet



Size mm	1200 × 1200 × 150
Material	PP
Weight	—
Static	6 T
Dynamic	1.5 T
Racking	—
Entry	4-way entry
Loading	—
Temp.	—

KYWJ-1111B Nine-Leg Plastic Pallet



Size mm	1100 × 1100 × 135
Material	PP
Weight	—
Static	4 T
Dynamic	0.5 T
Racking	—
Entry	4-way entry
Loading	—
Temp.	—

17 Open-Front Picking Bins

5 sizes · MOQ 200 pcs

Model	Image	Size mm	Size
PB-1		180×120×80	Picking Bin - Small
PB-2		250×150×120	Picking Bin - Medium
PB-3		390×240×154	Picking Bin - Large
PB-4		440×300×180	Picking Bin - X-Large
PB-5		510×345×190	Picking Bin - XX-Large





Standard colours: red / blue / yellow / green / white — mixable for colour coding

18 Platform Dollies & Pads

WGC6040 · MOQ 200 pcs

Model	Image	Board mm	With castors	Board wt.	Castor wt.
WGC6040		615×420×40	615×420×115	1.66 kg ±3%	3.36 kg ±3%
WGC6040-1		620×415×70	620×415×160	2.55 kg ±3%	4.45 kg ±3%
WGC6040-1 □□□		620×415×70	620×415×200	2.55 kg ±3%	5.27 kg ±3%

Product	Image	Size	Weight	Material
Splicable Plastic Pad		500×400×50	0.84 kg ±3%	PP

Aluminium Platform Dollies three sizes · hollow aluminium alloy

Model	Image	Size	External mm	Internal mm	Wheel ht.	Weight	Load
KYWG6848		Aluminium Trolley - Large	680 × 480	650 × 450	140 mm	2.4 kg	150–200 kg
KYWG6343		Aluminium Trolley - Medium	630 × 430	600 × 400	140 mm	2.35 kg	120–180 kg
KYWG5640		Aluminium Trolley - Small	560 × 400	530 × 370	140 mm	2.25 kg	100–150 kg







20 Waste Containers

MOQ 200 pcs

Model	Image	Size	Volume	Net weight	Material
TB-30L		Bin 30L, no wheels	38 × 37 × 45.5 cm	30 L	HDPE
TB-50L		Bin 50L, no wheels	42 × 39 × 57 cm	50 L	HDPE
TB-100L		Bin 100L, no wheels	49.5 × 47.5 × 84 cm	100 L	HDPE
TB-100LW		Bin 100L, detachable wheels	54 × 47 × 80 cm	100 L	HDPE

120L



660L



21 Contact Us

MOQ: pallets 150 pcs / others 200 pcs

Company	Foshan KEYUN Import & Export Co., Ltd.
Address	Room 2013, 20/F, Youbang Financial Center, Guicheng, Nanhai, Foshan, Guangdong, China
Contact	Andy Liao
Email	andy-liao@keyunltd.com
WhatsApp / Tel	+86 180 3871 4440
Website	keyunltd.com